



## SXG MOWER RANGE

Designed, engineered and built in Japan offering the most reliable, high quality diesel mower on the market

 **ISEKI**

QUALITY THAT'S BUILT TO LAST

[WWW.ISEKI.CO.UK](http://WWW.ISEKI.CO.UK)

## SXG Mower Range

# SXG MOWER RANGE

Whether you are mowing your lawn, an estate or numerous contracts the versatile **ISEKI SXG** range of mowers cut and collect leaving a superior finish.

Designed, engineered and built in Japan to offer the most reliable, high quality diesel mower on the market for the most demanding of users.



## SXG Mower Range

### Quick Specifications:

#### SXG216+



- 13.5hp diesel engine
- 40" width of cut mower deck
- Low tip collector with 320ltr capacity

#### SXG323+



- 19hp diesel engine
- 48" width of cut mower deck
- High or low tip collector up to 600ltr capacity

# FED UP OF WATCHING AND WAITING FOR THE RAIN TO STOP?

**Cutting your lawn can be a laborious task at the best of times.**

Take this frustration away with the **ISEKI SXG** mower. The blowerless straight chute from the deck to the collector means that even when the grass is wet, you can still cut and collect with the same pristine finish.



**See why the SXG Range works so well in the wet on Page 10...**

## SXG326+



- 21hp diesel engine
- 54" width of cut mower deck
- High or low tip collector up to 600ltr capacity

“Our SXG never misses a beat, with no issues and over 2,500 hours on the clock the quality and reliability of ISEKI cannot be beaten. The quality and value for money of the ISEKI SXG range allowed us to make a very easy purchase decision.”

**Joshua Stebbings,  
Truro Independent School**



## SXG Mower Range

### POWERFUL



Because of the large capacity, low revving 1123cc engine the SXG323+ and SXG326+ creates very little vibration and wear and tear on the engine itself, whilst also being very fuel efficient and powerful at 19hp. The SXG216+ has a powerful 13.5hp, low revving 688cc, 2 cylinder diesel engine ideal for tackling parks and gardens.

### COMPACT SIZE



Built to be perfectly balanced, the compact dimensions (2.5-3.3m long) allows the SXG to be incredibly maneuverable, enabling you to effortlessly mow around lawns, flower beds and trees. No extra weights are needed on the front of the machine to keep you safe.

### EASY AND COMFORTABLE



Simple to drive, the 2-pedal hydrostatic control allows for the ultimate control so you can quickly change direction and speed whilst mowing with minimal effort. The large operators platform offers maximum comfort with plenty of leg room, ergonomic controls and suspension seat.

### HIGHLY ADJUSTABLE DECK

Height of cut on the deck can be changed whilst you are mowing by simple adjusting the dial next to the drivers seat in 8mm increments helping you to easily cut finer lawns and larger longer cut areas all in one go.

Further adjustability can be made by the clevis pin on the castor wheels of the deck.



Model	Width	Height of Cut
<b>SXG216+</b>	40"	30mm-120mm
<b>SXG323+</b>	48"	25mm-115mm
<b>SXG326+</b>	48" or 54"	25mm-115mm

# HIGH AND LOW TIP COLLECTOR



To help make disposing of grass cuttings easy the **SXG323+** and **SXG326+** have an hydraulically operated high or low tip collection system which can lift up to a height of 1.97m.

Built to be perfectly balanced, even when the collector is full and tipping from maximum height, there are no additional weights required.

The **SXG216+** comes with a low tip collector operated by the electric, fingertip control, so you don't have to empty the collector manually by tipping it up.



# POWERFUL COLLECTION



Using the vents on the top of the decks you can open or shut these to control the airflow from the deck to the collector to allow as much cut grass and debris as possible to be drawn through, this is especially useful in winter when you have a lot of wet heavy grass. In the summer you can close it up to minimise the dust and debris being kicked up when mowing in very dry areas.

**(SXG323+ & SXG326+ only)**

# SXG Mower Range



Making your life easier



**SUSPENSION  
SEAT AND EXTRA  
LEG ROOM**



**SIMPLE HEIGHT  
OF CUT  
ADJUSTMENT**



**HYDRAULIC DECK  
LIFT AND POWER  
STEERING**



**GENEROUS 40"  
TO 54" WIDTH OF  
CUT**



**LARGE CAPACITY  
COLLECTOR**



**SUPERIOR  
COLLECTION  
SYSTEM**



# SXG Mower Range - OPERATOR'S PLATFORM

Suspension seat for the ultimate comfort whilst mowing plus extra leg room on the operator's platform. Armrests are an optional extra for added luxury whilst you are working.

ROPS frame (Roll Over Protection Structure) can be folded down to allow easy access into garages or sheds for storage.

Retractable lap belt to help keep you safe whilst driving on the machine.

Front headlights so you can continue to use the mower even when daylight is fading.



Power steering for easy manoeuvrability whilst out cutting making your job easier and more enjoyable. \*Manual steering only on SXG216+ model.

Ergonomically positioned hydraulic levers for adjusting the deck and operating the collector on the SXG323+ and SXG326+ models.



Automotive style dashboard gives clear information whilst operating the mower, plus a fuel gauge to ensure you are never left to accidentally run dry.



Reverse mow switch enables you to carry on cutting in reverse at the same speed so you can be as efficient as possible, it then resets itself when you move off forward again.



Full road homologated lighting kit and separate parking braking system is available to enable you to road register the mower for safe approved use on the roads when travelling to and from sites.

**(SXG323+ & SXG326+ only)**

# EASY SERVICING AND MAINTENANCE



The powerful diesel engine is easy to access for all the daily checks like the dipstick, radiator cover and water with the wide opening bonnet.

As soon as the grass box is full a sensor on the collector notifies the operator visually on the dashboard and audibly, allowing you to mow as productively as possible only emptying when completely full.



For minimal maintenance requirements on the mower deck, the blades are shaft driven so there are no horizontal belts on top of the decks which can easily falter whilst mowing, thus avoiding undue inconvenience.



## HOZELOCK CONNECTOR

### on the top of the deck

enables you to quickly and easily clean the deck after cutting to help keep it in pristine condition. Simply hook it up to the water and run the deck briefly to clean off all the debris. The SXG216+ has a plain push on connector to wash the deck.



## OPTIONAL ACCESSORIES

### TOW HITCH



Tow hitch is available to enable you to move a trailer around behind the SXG mower, available whether you have a collector fitted or not.  
**(SXG323+ & SXG326+ only)**

### FLIP-UP FLOOR KIT

Flip-up floor kit is a conversion available that allows the collector floor to be lifted, enabling the mower to cut and drop where required and then easily placed back down again for seamless collection.  
**(SXG323+ & SXG326+ only)**



### FRONT HITCH



Front PTO comes as standard where you can also add an optional front hitch to carry a rotary brush or snow blade for clearing debris.

### DEFLECTOR KIT

Deflector kit enables you to use the SXG mowers without the collector, allowing you to cut and drop the grass clippings with an evenly dispersed spread for a neat and tidy finish.



## SXG Mower Range

# Why does the SXG mower range cut and collect so well?

Renowned for its exceptional cut and collect abilities, the SXG mower range has a number of attributes that allow the machine to cut and collect with no blockages and leave a superior finish everytime.

The rear axle is mounted high under the seat out of the way with chain drive to each of the rear wheels, this allows the grass to flow straight through from the deck to the collector with no obstructions to avoid unwanted blockages.



**Largest chute in its class allows for maximum movement of grass from the deck to the collector so the productivity is never compromised.**



**The powerful, up to 19hp, diesel engine is capable of working on various terrains for prolonged periods of time without excess wear and tear on the machine.**

For maximum airflow from the decks through to the collector the airvents on top of the mower deck can be opened or closed to allow as much grass and debris as possible to be picked up and passed through to the collector. This is especially useful when collecting heavier wetter grass.

In the summer these can be closed to avoid excess dust and debris being kicked up when cutting dry areas.



**Book your demonstration today and see why the SXG mower range really is the most reliable, productive and high quality mower on the market.**

MODEL	SXG216+	SXG323+	SXG323+
<b>POWER</b>			
<b>Engine: Type</b>	Diesel, indirect injection, overhead valve	Diesel, indirect injection, overhead valve	Diesel, indirect injection, overhead valve
<b>Displacement</b>	688cc	1123cc	1123cc
<b>No of cylinders</b>	2	3	3
<b>Power</b>	10kW (13.5hp) at 2,800rpm	14kW (19hp) at 2,600rpm	15.4kW (21hp) at 2,600rpm
<b>Fuel Capacity</b>	18ltr (3.95gal)	21ltr	21ltr

TRANSMISSION			
<b>Type</b>	HST (hydrostatic transmission) 2WD	HST (hydrostatic transmission) 2WD	HST (hydrostatic transmission) 2WD
<b>Rear axle</b>	Straight axle	Chain Drive to each wheel	Chain Drive to each wheel
<b>Steering system</b>	Manual steering	Power Steering	Power Steering
<b>PTO</b>	Mid - 2367 min-1 (rpm)	Front - 1750 min-1 (rpm)	Front - 1750 min-1 (rpm)

BRAKES			
<b>Type</b>	Wet single disc	Dry internal-shoe expanding	Dry internal-shoe expanding
<b>No. of brakes</b>	1 (before diff)	1 (before diff) 2 (after diff) Road Hom.	1 (before diff) 2 (after diff) Road Hom.

TYRES			
<b>Front</b>	16 x 6.50-8	16 x 6.50-8	18 x 8.50-8
<b>Rear</b>	20 x 8.00-10	23 x 10.50-12	26 x 10.50-12

MOWER DECK				
<b>Model</b>	SCMA40	SCMB48	SCMB54	SMM54 (SXG326+ only)
<b>No. of blades</b>	2	2	2	3
<b>Discharge</b>	Centre rear	Centre rear	Centre rear	Mulching
<b>Cutting width</b>	1.01m (40")	1.22 (48")	1.37 (54")	1.37 (54")
<b>Cutting height</b>	30mm (1.18") - 120mm (4.72")	25mm (1") - 115mm (4.5")	25mm (1") - 115mm (4.5")	35mm (1.4") - 125mm (4.9")
<b>Adjustments</b>	7 stage via clevis pin and stepless dial	7 stage via clevis pin and stepless dial	7 stage via clevis pin and stepless dial	7 stage via clevis pin and stepless dial
<b>Weight</b>	55kg (121lbs) Link: 3kg (6.6lbs)	97kg (214lb) Link: 8kg (18lb)	97kg (214lb) Link: 8kg (18lb)	97kg (214lb) Link: 8kg (18lb)

COLLECTOR			
<b>Model</b>	SBC402X	SBC500 X Low Dump	SBC600 X High Dump
<b>Capacity</b>	320ltr	520ltr	600ltr
<b>Type</b>	Blowerless, centre collection, low dump	Blowerless, centre collection, low dump	Blowerless, centre collection, high dump
<b>Dump system</b>	Electric or Manual	Hydraulic	Hydraulic
<b>Height of Dump</b>	0.58m (22.9")	0.9m (36")	1.95m (76.8")
<b>Weight</b>	80kg (176lb)	115kg (254lb)	210kg (463lb)

DIMENSIONS	(With SCMA40 and SBC400XRAE4)	(With SBC550 X collector)	(With SBC600 X collector)
<b>Height</b>	1.27m (50")	1.96m (77.2")	1.96m (77.2")
<b>Width</b>	1.07m (42.1")	1.10m (43.3")	1.17m (46.1")
<b>Length</b>	2.5m (98.4")		3.31m (84")
<b>Wheelbase</b>	1.22m (48.03")	1.36m (53.7")	1.45m (57.1")
<b>Total Weight</b>	483kg (1064lbs)	723kg (1,594lb)	833kg (1,836lb)
<b>Ground clearance</b>	135mm (5.3")	130mm (5.1")	150mm (5.9")



## SXG MOWER RANGE

**Don't just take our word for it.**

Try an ISEKI mower for yourself and book a demonstration with your local dealer.

**Contact us today  
01473 599266**



QUALITY THAT'S BUILT TO LAST



**WWW.ISEKI.CO.UK**